

REMOTE ACCESS FOR ALL

User connections to anything – anytime, anywhere, from any device.



Leostream Release Notes

Manage user connections to anything – anytime, anywhere, from any device

Contacting Leostream

Leostream Corporation
271 Waverley Oaks Rd.
Suite 206
Waltham, MA 02452
USA

<http://www.leostream.com>
Telephone: +1 781 890 2019

To submit an enhancement request, email features@leostream.com.

To request product information or inquire about our future direction, email sales@leostream.com.

Copyright

© Copyright 2002-2019 by Leostream Corporation

This software program and documentation are copyrighted by Leostream. The software described in this document is provided under a license agreement and may be used or copied only under the terms of this agreement. No part of this manual may be copied or reproduced in any form without prior written consent from Leostream.

Trademarks

The following are trademarks of Leostream Corporation.

Leostream™

The Leostream graphical logo™

The absence of a product name or logo from this list does not constitute a waiver of the trademark or other intellectual property rights concerning that product, name, or logo by Leostream.

HP is a trademark of Hewlett-Packard Development Company, L.P. in the U.S. and other countries. HPE is a trademark of Hewlett-Packard Enterprise Development, L.P. in the U.S. and other countries. Linux is the registered trademark of Linus Torvalds in the U.S. and other countries. The OpenStack Word Mark and OpenStack Logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. Leostream is not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community. Microsoft, Active Directory, SQL Server, ActiveX, Hyper-V, Windows, and the Windows logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Apache Guacamole, Guacamole, Apache, the Apache feather logo, and the Apache Guacamole project logo are trademarks of The Apache Software Foundation. Other brand and product names are trademarks or registered trademarks of their respective holders. Leostream claims no right to use of these marks.

Patents

Leostream software is protected by U.S. Patent 8,417,796.

Contents

CONTENTS	3
CONNECTION BROKER 9.0.34.10 UPDATE	4
Issue Resolutions and Minor Features	4
CONNECTION BROKER 9.0.34.7 UPDATE	4
Issue Resolutions and Minor Features	4
Leostream Gateway 1.0.0.27	5
CONNECTION BROKER 9.0.34.5 UPDATE	5
CONNECTION BROKER 9.0.34.4 UPDATE	6
CONNECTION BROKER 9.0.34.2 UPDATE	7
CONNECTION BROKER 9.0.34 UPDATE	8
Leostream Component Updates	8
New Features	8
Leostream Gateway 1.0.0.24 Update	10
Resolved Issues	10
LEOSTREAM GATEWAY 1.0.0.19 UPDATE	10
CONNECTION BROKER 9.0.10 UPDATE	10
Features	10
Resolved Issues	11
LEOSTREAM COMPONENT UPDATES	12
CONNECTION BROKER 9.0 – INITIAL RELEASE NOTES	13
Important Notes	13
Unsupported Connection Broker 8.2 Functionality	13
Leostream Component Updates	14
Connection Broker 9.0 Features	14
Leostream Gateway 1.0.0.17	16
APPENDIX A: VERSION COMPATIBILITY	17
Leostream Agent Compatibility Matrix	17
Leostream Connect Compatibility Matrix	18

Connection Broker 9.0.34.10 Update

Connection broker 9.0.34.10 is a patch release to Connection Broker 9.0.34. This release includes the changes indicated in the following sections.

Issue Resolutions and Minor Features

- Upgrades the Apache Web Server to version 2.4.39.
- Adds support for scrambling passwords for VNC servers that support passwords longer than eight characters.
- Resolves issues related to properly matching login events from PCoIP zero clients to existing records on the > **Resources** > **Clients** page.

Connection Broker 9.0.34.7 Update

Connection broker 9.0.34.7 is a patch release to Connection Broker 9.0.34. This release includes the changes indicated in the following sections.

Issue Resolutions and Minor Features

- **Locations:** Client Locations can now be created using CIDR notation.
- **MFA:** The Connection Broker now honors any selection in the **Default MFA Provider** dropdown menu in the **Assignments** tables.
- **Leostream Gateway:** Protocol plans for the HTML5 Viewer now contain a **Disable the viewer menu** option to indicate if the Guacamole sidebar menu should be disabled for this user's connection.
- **Administrator View:** Resolved various issues related to navigating to and between the Administrator Web interface of different Connection Brokers in a cluster.
- **Licensing:** Leostream licenses are now released one month after the last user sign in or desktop connection, instead of after six months.

Leostream Gateway 1.0.0.27

- Upgraded the underlying HTML5 remote access client to Apache Guacamole 1.0.0.
- Supports Connection Broker protocol plan option to disable the Guacamole sidebar menu when establishing the HTML5 connection.
- Incoming HTTP requests are now automatically forwarded to HTTPS.
- Resolved timing issues that could cause Apache to fail to boot when running the Leostream Gateway on slower machines.

Connection Broker 9.0.34.5 Update

Connection broker 9.0.34.5 is a patch release to Connection Broker 9.0.34. This release includes the following issue resolutions

- **PCoIP Remote Workstation Cards:**
 - New Remote Workstation Cards that are uploaded without a name will have their hostname displayed in the **PCoIP Host Device** drop-down menu in the **Edit Desktop** page. Previously, these cards displayed with no name.
 - Improved error messaging when CSV file used to upload PCoIP Host Devices contains invalid fields.
- **PCoIP Zero Clients:** Improved detection of existing client records when a zero client login registers with the Connection Broker.
- **VNC:** Do not attempt to start a new VNC session if the user's protocol plan does not use the {VNC_PORT} dynamic tag. Instead, assume a VNC session already exists for the hard-coded session number.
- **Updates:** Resolved issues related to restarting Apache after a Connection Broker update on a slow machine.

Connection Broker 9.0.34.4 Update

Connection broker 9.0.34.4 is a patch release to Connection Broker 9.0.34. This release includes the following features and issue resolutions.

- **Leostream Gateway 1.0.0.26** - The Leostream Gateway RPM file now blocks attempts to install the Leostream Gateway on a machine with an installed Leostream Connection Broker.
- **Leostream Connect for Linux and macOS 3.5.9** – Resolves issue where passwords for rdesktop connections could be logged in plain text in the `lc.log` file.
- **AWS Centers** – Added support for ap-northeast-3 (Osaka-Local), eu-west-3 (Paris), eu-north-1 (Stockholm) regions, as well as new m5ad and r5ad instances types.
- **Azure Centers** – You can now specify if the network card for newly provisioned virtual machines is placed in the resource group of the original virtual network or in the resource group specified for the new virtual machines.
- **Active Directory Centers** – Resolved issues related to inventorying computer records from a particular sub-tree.
- **PCoIP**
 - The secondary authentication dialog now applies to PCoIP connections to workstations with an installed PCoIP Remote Workstation Card.
 - Resolved issues communicating with zero clients running firmware version 4.x and using the Connection Management Interface.

Connection Broker 9.0.34.2 Update

Connection broker 9.0.34.2 is a patch release to Connection Broker 9.0.34. This release includes the following features and issue resolutions.

- **Leostream Gateway 1.0.0.25**
 - The leostream-gateway CLI includes a new option to enable Azure API forwarding
 - When adding a Leostream Gateway to the Connection Broker, you can now specify the method to use to forwards traffic through the gateway
- **Leostream Connect 4.1.8** – The client now allows you to configure the Leostream Connect short cut keys.
- **Azure:** Azure API forwarding is now enabled via a checkbox in the Azure center. When enabled, Leostream selects any Leostream Gateway that enables Azure API forwarding, and fails over to a different Leostream Gateway in the event the original gateway is unavailable.
- **Red Hat:** Newly provisioned virtual machines in a Red Hat Virtualization center are now powered on, by default.
- **PCoIP:**
 - The secondary authentication dialog for PCoIP clients now supports launching connections when more than 10 desktops are offered.
 - The PCoIP Devices center is now automatically added when you install a Leostream license key with PCoIP enabled.
- **RADIUS:** Resolves an issue with Radius authentication caused by an update to the underlying Radius library.

Connection Broker 9.0.34 Update

Connection broker 9.0.34 is an update Connection Broker 9.0.10. This update includes the following features and issue resolutions.



The Leostream Software License Agreement has been updated. Please see <https://www.leostream.com/perpetual-software-license-agreement/> for details.

Leostream Component Updates

- Leostream Connect Windows 4.1.5 – The **Refresh offer list before displaying to user** option is now honored every time the **Connect** dialog is opened
- Leostream Agent Windows 7.1.10 – TGX sessions are now properly tracked for remote Windows connections
- Leostream Connect Linux/macOS 3.5.8 – Contains usability enhancements when using on macOS
- Leostream Agent Linux 5.0.4 - Introduces new public key exchange to secure communication with Connection Broker 9.0.

New Features

- **Authentication**
 - Multi-factor authentication is now supported for any SAML-based third-party identity providers, such as Ping Identity and Microsoft Active Directory Federated Services
 - **Multi-factor authentication (MFA) with Duo Security** notifications can now be enabled for groups of Leostream users
 - The default local Connection Broker **admin** account can now be disabled
- **Centers**
 - **Red Hat Virtualization** can now be added as a center in Leostream, with support for inventorying, power control, provisioning, and connecting users to resources hosted in a Red Hat environment
 - The **Scale Computing HC3 virtualization platform** can now be added as a center in Leostream, with full support for VDI environments on this hyperconverged platform, including inventorying, power control, provisioning, and connecting users

- **Google Cloud Platform** can now be added as a center in Leostream, with support for inventorying, power control, and connecting users to resources hosted in GPC (provisioning will be available in an upcoming release)
- You can now specify a Region when creating an OpenStack center, to support OpenStack deployments with custom regions
- The usability of creating multi-user centers has been improved
- **Databases**
 - You can now attach the Connection Broker to an Azure SQL database
 - The Connection Broker now allows you to specify any secondary database as a failover database, instead of requiring you to configure SQL Server mirroring
- **Provisioning:** Provisioning limits in pools can now be enforced at certain times and days of the week
- **Azure:** The Connection Broker now forwards Azure API traffic through the Leostream Gateway when Connection Broker logins are forwarded to the Leostream Gateway (requires Leostream Gateway 1.0.0.24)
- **PCoIP Remote Workstation Cards**
 - Release plan options based on disconnect events can now be executed for workstations with an installed PCoIP Remote Workstation Cards running firmware version 5.x
 - Client binding is now supported for PCoIP Zero clients running firmware version 5.x and later, providing octal monitor support for Amulet Hotkey zero clients
 - You can now force end users to accept a disclaimer as part of the authentication process on a PCoIP client
 - Leostream policies can force the user to enter a second set of credentials to use for single sign-on to a PCoIP remote resource
- **Clients:** The > **Clients** page provides a new column to display the installed display protocol clients and their version
- **Backups:** SFTP is now available as a transfer protocol when backing up the Connection Broker internal database

- **Security:**
 - The new **Enable Strict-Transport-Security header (HSTS)** option on the > **System > Settings** page allows you to instruct the Connection Broker to enforce strict transport security and sets the expiration time for when the Connection Broker can be accessed using only HTTPS.

Leostream Gateway 1.0.0.24 Update

Leostream Gateway 1.0.0.24 is a patch update to version 1.0.0.19. It is compatible with Connection Broker 9.0.34. This version of the Leostream Gateway supports Azure API forwarding.

Resolved Issues

- Wake-on-LAN packets are now sent from every broker in your Leostream cluster, to improve powering on machines across subnets
- Apache has been updated to 2.4.38 and the Apache configuration has been modified to use more restrictive conditions

Leostream Gateway 1.0.0.19 Update

Leostream Gateway 1.0.0.19 is a patch update to version 1.0.0.17. It is compatible with Connection Broker 9.0.10.

This version of the Leostream Gateway resolves issues related to launching HTML5 RDP connections to Windows 10 or Windows Server 2016 operating systems that have Network Level Authentication enabled for RDP.

Connection Broker 9.0.10 Update

Connection broker 9.0.10 is a minor update to the initial release of Leostream 9. This update includes the following features and issue resolutions.

Features

- The new **Control** action for multi-user centers allows you to power cycle the server associated with the center. The individual sessions for a multi-user center no longer offer individual **Control** actions.
- The Role option to log users into the remote desktop as either a local or domain users can now be specified per pool in a policy.

- The default NX configuration file in protocol plans now supports the NoMachine Enterprise Client version 6.2, and the default VMware View client command line parameters now support version 2.3.3 or higher.
- Pools of AWS T3 instances can now be provisioned.
- You can now create protocol plans that do not provide any protocol option for specific client types. This allows you to prohibit users from launch desktop connections from certain clients, such as from the Leostream Web client.

Resolved Issues

- Connection closed events are now interpreted as a disconnect, and the associated Release Plan actions are taken, in cases where the user never logged into their assigned desktop.
- Multi-user sessions assigned to users are now evaluated when a Leostream Agent restart occurs. If an active session is not found for an assigned user, the Connection Broker now releases that session.
- Deallocated Azure instances are now considered as available to power on, to meet the pool's power management threshold.
- The Connection Broker allows more time for Leostream Agents to respond, to lower the chances of agents being marked as Unreachable in high-latency environments.
- The favicon now correctly appears in the browser tabs after logging into the web client.
- The logs now contain the full JSON response returned by the Azure APIs when an error is returned to the Connection Broker.
- The Connection Broker no longer removes the images inventoried from an Azure center if Azure returns an error or empty list. This ensures that, on a subsequent successful call to Azure, existing pools continue to provision with the previously selected image.
- The **Deploy from image** drop-down menu in pools now defaults to **<Select>** instead of the first image in the list.
- The logs now contain the errors output from the LDAP queries when a user bind fails.
- Resolves rendering issue of drop-down menus on Internet Explorer 11.

Leostream Component Updates

Leostream component upgrades are available to resolve the following issues.

- **Leostream Connect 4.0.6** for Microsoft Windows Operating Systems
 - The installation package can now install Leostream Connect and the Leostream USB drivers on the latest updates of Windows 10 desktops that enable Secure Boot.
 - The Leostream Connect system tray menu contains a new **Login using Windows credentials** option when the client is installed with the client-side single sign-on, allowing users to log back into Leostream after they exit their initial session.
 - Resolves an issue opening the **Configuration** dialog for protocol parameters.
 - Supports launching the latest VMware Horizon client.
- **Leostream Agent 7.0.5** for Microsoft Windows Operating Systems – The installation package can now install the Leostream Agent and Leostream USB drivers on the latest updates of Windows 10 desktops that enable Secure Boot.
- **Leostream Agent 4.3.23** for Linux and macOS
 - Resolves an issue disconnecting RGS 7.4 sessions based on idle time settings in release plans.
 - The new `sso_desktop` parameter allows you to specify the window manager used for single sign on.
 - The Leostream Agent now reports the port associated with the user's VNC session when you click **Status** on the Connection Broker > **Resources** > **Desktops** page.
 - If a user has an open SSH session to a desktop, and establishes an RGS or VNC connection to that desktop using Leostream, forcefully logging the user out of their RGS or VNC session no longer closes their SSH session.

Connection Broker 9.0 – Initial Release Notes


Connection Broker 9.0 is the next major release of the Leostream Connection Broker. It includes a new user interface and licensing scheme, as well as new Leostream Connect and Leostream Agent components and a new Leostream Gateway.

Connection Broker 9.0 includes all the issue resolutions and features available in the latest 8.2 version. For a full list of recent changes in 8.2, see the Connection broker 8.2 Release Notes.

Important Notes

You cannot upgrade your existing Connection Broker 8.2 virtual appliance to version 9.0. You must build a new Leostream Connection Broker and obtain a new license key from sales@leostream.com.

After building your 9.0 Connection Broker and applying your new license, you can copy over your existing 8.2 configuration, to simplify the upgrade process. You must be running Connection Broker 8.2.37 or higher to copy your existing Connection Broker database to 9.0.

 Leostream Agent 7.0 for Windows operating systems is *not* compatible with Connection Broker 8.2.71 or earlier.

Connection Broker 9.0 supports Mechdyne TGX version 1.10. To use older versions of TGX, please remain on Connection Broker 8.2.

Unsupported Connection Broker 8.2 Functionality

The following Connection Broker 8.2 features are no longer supported in Connection Broker 9.0. Leostream will continue to support version 8.2 for our existing customers. See the Leostream [Product Lifecycle page](#) for information on support dates for previous Connection Broker versions.

- Supported hosted platforms – The following platforms are no longer supported or are in the process of being deprecated.
 - Citrix XenApp and XenDesktop
 - Citrix XenServer
 - Open source Xen
 - Red Hat Enterprise Virtualization 3.x, including the SPICE display protocol
 - Microsoft Hyper-V 2012
- Connection Broker Skins no longer set form colors in the Administrator Web interface. Contact support@leostream.com for information on using customized CSS-files to modify the look-and-feel of the Connection Broke Web interface.
- The Policy Report and User Connection History report are no longer available. Use the improved User Assignment Report for detailed information about desktop usage per user.

- The Policy option to store assignment and connection information is no longer available for use with Leostream Connect for Linux and macOS.
- Display plans are no longer available. Instead, use the multi-monitor support natively provided by your chosen display protocol.
- Failover plans and failover desktops are no longer available. Use Backup Pools for all desktop failover needs.
- The Java NX client is no longer available in Protocol Plans for NX connections launched from a Web client login.
- Mechdyne TGX version 1.9 or older.

Leostream Component Updates

- Leostream Connect for Microsoft® Windows® Operating Systems – Version 4.0.2
 - Provides support for USB redirection through the Leostream Gateway
 - Resolves issue where user pressing Ctrl-Shift-X wasn't breaking out of Shell mode
- Leostream Agent for Microsoft® Windows® Operating Systems –Version 7.0.4
 - Introduces new public key exchange to secure communication with Connection Broker 9.0.
 - Resolve issues identifying users in sub-domains.



Leostream Agent 7.0 is not compatible with Connection Broker 8.2.72 or older.



The Java versions of Leostream Connect and the Leostream Agent were not upgraded between the Connection Broker 8.2 release and Connection Broker 9.0.


Connection Broker 9.0 Features

- The Connection Broker is packaged for installation on a CentOS, Red Hat Enterprise Linux, Ubuntu, and SUSE Linux Enterprise Server operating system. Manage updates for the underlying operating system independently of your Connection Broker.
- Connection Broker 9.0 introduces a new design for the Administrator and End User Web interfaces. The Administrator menu has been reorganized to improve usability.
- Version 9.0 also introduces a new Leostream licensing scheme. You are issued a Leostream Serial number, which you can use to generate your Leostream license. Your Leostream license controls the functionality available in the Administrator Web interface.

At any time, you can contact sales@leostream.com to discuss adding functionality to your Leostream license. Additional licensing fees may or may not apply.

- The Connection Broker and Leostream Agent for Windows now use a public/private key exchange to verify communications.
- Connection Broker 9.0 can be immediately attached to an external Microsoft SQL Server or PostgreSQL database after installation, avoiding the need to re-enter your Leostream license in the cluster.
- Protocol plans now provide Leostream Gateway support for RGS and TGX connections launched from Leostream Connect, as well as RDP connections launched from a Dell Wyse ThinOS client.
- Users can now send invitations to collaborate on their existing Mechdyne TGX connections.
- A new > **Resources** > **Images** page lists all images available for provisioning in Leostream pools
- You can now specify a domain when creating an OpenStack centers.
- The provisioning logic in Connection Broker 9.0 now allows many desktops to be simultaneously provisioned, instead of running serially.
- For cloud environments, you can specify additional provisioning parameters, including:
 - OpenStack – Set the security groups and availability zone
 - Azure – Use new image formats and specify security groups
 - AWS – Provision T2 unlimited instances and set an IAM role on the instance
- Role enhancements – separate role for downloading logs and add role for permission to remove users
- NIS authentication now supports SHA 512 for NIS passwords and allows policies to be assigned based on the user's `netgroup` membership.
- The Connection Broker now logs out rogue when an already-assigned user requests a connection to the desktop, not just upon the initial assignment.
- The Connection Broker no longer store Leostream Agent registrations if there is no Uncategorized Desktops center. To register desktops using the Leostream Agent, first create the uncategorized Desktops center and then install or restart your Leostream Agents, ensuring that they are pointing at your Connection Broker.

Leostream Gateway 1.0.0.17

 The Leostream Gateway described in this document is for use with Connection Broker 9.0. You cannot upgrade the Leostream Gateway for Connection Broker 8.2 to the 9.0-compatible version.

- The HTML5 viewer now supports SSH and VNC HTML5 connections, as well as RDP.
- The Leostream Gateway can forward user login traffic to your Connection Broker, allowing you to isolate your Connection Broker in the same network as your desktops.
- The Leostream Gateway includes a new Command Line Interface for configuring certain gateway functionality, such as limiting the ports used by the Leostream Gateway and installing SSL certificates.
- The Leostream Gateway now enables UDP for RDP connections.
- You can use Connection Broker protocol plans to set additional parameters for HTML5 RDP connections.

Appendix A: Version Compatibility

Leostream Agent Compatibility Matrix

The following table indicates the Leostream Agent versions that are compatible with the different Connection Broker versions. Connection Brokers cannot communication with incompatible Leostream Agents, resulting in a loss in Leostream functionality.

Connection Broker	Version	8.1	8.2.71 and earlier	8.2.73	9.0
Leostream Agent for Windows	5.x	Y	Y	N	N
	6.x	Y	Y	Y	Y
	7.0	N	N	Y	Y
	7.1	N	N	Y	Y
Leostream Agent for Linux	3.x	Y	Y	N	N
	4.x	Y	Y	Y	Y
	5.0	N	N	Y	Y

- Leostream Agent versions older than 5.0 for Windows and 3.0 for Linux are not compatible with any supported Connection Broker.

Leostream Connect Compatibility Matrix

The following table indicates the Leostream Connect versions that are compatible with the currently supported Connection Broker versions.

Connection Broker	Version	8.1	8.2	9.0
Leostream Connect for Windows	3.6 or earlier	Y*	Y	N
	3.8	Y*	Y	Y
	4.0	N	Y	Y
	4.1	N	Y	Y
Leostream Connect for Linux	< 3.3	Y	Y	N
	3.3	Y	Y	Y
	3.4	Y	Y	Y
	3.5	N	Y	Y

- Connection Brokers older than 8.1.44 are compatible only with Leostream Connect 3.6.18 or earlier on Windows operating systems.
- Not all features supported by the latest Leostream Connect version are available when using an older Connection Broker version.